# Contents to volume 69


| **Computational physics** | *Issue* | *Page* |
|---|---|---|
| Hossain, M., W.H. Matthaeus and S. Ghosh<br>On computing high order Galerkin products | 1 | 1 |
| Berg, B.A.<br>Double jackknife bias-corrected estimators | 1 | 7 |
| Ezawa, Y., T. Hayashi, M. Kikugawa, J. Kodaira, T. Muta, R. Najima, J. Saito, S. Wakaizumi, T. Watanabe, T. Yano and M. Yonezawa<br>Brown–Feynman reduction of one-loop Feynman diagrams to scalar integrals with orthonormal basis tensors | 1 | 15 |
| Aiani, K.E. and J.S. Hutchinson<br>Evaluation of overlap matrix elements by the transformation method (HEG) | 1 | 46 |
| Gravielle, M.S. and J.E. Miraglia<br>Some Nordsieck integrals of interest in radiation and atomic collision theories | 1 | 53 |
| Larsen, F. and H. Flyvbjerg<br>Efficient evaluation of Feynman diagrams on lattices | 1 | 59 |
| Berg, B.A.<br>Monte Carlo calculation of confidence limits for realistic least square fitting | 1 | 65 |
| Narayanan, K.S.S.<br>Comment on a paper by K.J.F. Gaemers (Comput.Phys.Commun. 22(1981)115) | 1 | 73 |
| Morales, J.J. and M.J. Nuevo<br>Comparison of link-cell and neighbourhood tables on a range of computers | 2&3 | 223 |
| MacLeod, A.J.<br>The numerical computation of transport integrals | 2&3 | 229 |
| Sharan, P.<br>Symbolic computation of Wigner–Kirkwood expansion to $\mathcal{O}(\hbar^8)$ | 2&3 | 235 |
| Evans, G.A.<br>Computing time-dependent eddy currents in tokamaks | 2&3 | 243 |
| Vu, H.X. and J.U. Brackbill<br>CELEST1D: an implicit, fully kinetic model for low-frequency, electromagnetic plasma simulation | 2&3 | 253 |
| Han, J.H. and J.N. Leboeuf<br>Particle simulation model of the Lorentz collision operator in guiding-center plasmas | 2&3 | 277 |
| Lütjens, H., A. Bondeson and A. Roy<br>Axisymmetric MHD equilibrium solver with bicubic Hermite elements | 2&3 | 287 |

| **Computational physics (continued)** | *Issue* | *Page* |
|---|---|---|
| Gibbon, P.<br>A numerical model of the plasma beat-wave accelerator | 2&3 | 299 |
| Villasenor, J. and O. Buneman<br>Rigorous charge conservation for local electromagnetic field solvers | 2&3 | 306 |
| Shida, K. and Y. Anzai<br>Reduction of the event-list for molecular dynamic simualtion | 2&3 | 317 |
| Chang, C.-H. and J.-X. Wang<br>A general method for calculating principal value integrals numerically in an $N$-dimensional region | 2&3 | 330 |
| Bhattacharya, R., D. Roy and S. Bhowmick<br>Finding roots using divergent functional iteration | 2&3 | 339 |
| Chilingarian, A.A.<br>Dimensionality analysis of multiparticle production at high energies | 2&3 | 347 |
| **Computer programs in physics** | | |
| Burke, V.M., P.G. Burke and N.S. Scott<br>A new no-exchange $R$-matrix program | 1 | 76 |
| Weese, J.<br>A reliable and fast method for the solution of Fredholm integral equations of the first kind based on Tikhonov regularization | 1 | 99 |
| Oleari, C. and G. Formaleoni<br>$(\theta,\delta)$ uniform-scale chromaticity diagram | 1 | 112 |
| Karimäki, V.<br>Fast code to fit circular arcs | 1 | 133 |
| Takada, K.<br>Programs for algebraic calculation of angular momentum coupling | 1 | 142 |
| Kwiatkowski, A., H. Spiesberger and H.-J. Möhring<br>HERACLES: an event generator for ep interactions at HERA energies including radiative processes | 1 | 155 |
| Graudenz, D.<br>Calculation of long traces of $\gamma$-matrices in the dimensional regularization scheme | 1 | 173 |
| Barb, F.D., O. Netoiu, M. Sorescu and M. Weiss<br>SPECFIT – an interactive package for Mössbauer spectra fitting with personal computers | 1 | 182 |
| Otten, J., A. Bledowski, K.H. Ringhofer and R.A. Rupp<br>Dynamical holographic storage in photorefractive crystals | 1 | 187 |
| Verbruggen, M.H.W. and J.M.M. de Nijs<br>Analysis of spectroscopic ellipsometric measurements | 1 | 201 |
| Bocko, J.<br>EQSHELL – a REDUCE-based program for generation of equations of equilibrium for shells | 1 | 215 |

**Computer programs in physics (continued)**


| | Issue | Page |
|---|---|---|
| Charchuła, K.<br>The package PAKPDF 1.1 of parametrizations of parton distribution functions in the proton | 2&3 | 360 |
| Schmitz, J., H.-R. Trebin and U. Rössler<br>TRSS: a new version of program TRS for a different geometry | 2&3 | 369 |
| Kumano, S. and J.T. Londergan<br>A FORTRAN program for numerical solution of the Altarelli–Parisi equations by the Laguerre method | 2&3 | 373 |
| Betrán-López, V. and L. González-Tovany<br>POWDERSPEC, a program for efficient simulation of isotropic EPR spectra | 2&3 | 397 |
| Yousif, H.A. and E. Boutros<br>A FORTRAN code for the scattering of EM plane waves by an infinitely long cylinder at oblique incidence | 2&3 | 406 |
| Taubmann, G.<br>Parabolic cylinder functions $U(n,x)$ for natural $n$ and positive $x$ | 2&3 | 415 |
| Lomba, E. and J.S. Høye<br>HNCR – a program to calculate the structure and thermodynamics of binary mixtures of charged hard spheres | 2&3 | 420 |
| Sonzogni, A.A., A.S.M.A. Romo, W.R. Frosch and S.J. Nassiff<br>A code to determine the energy distribution, the incident energy and the flux of a beam of light ions into a stack of foils | 2&3 | 429 |
| Yasar, O. and G.A. Moses<br>R-MHD: an adaptive-grid radiation-magnetohydrodynamics computer code | 2&3 | 439 |
| Block, M.M.<br>Monte Carlo phase space evaluation | 2&3 | 459 |
| Morrison, T.P.<br>POP – an interactive charged particle transport system design tool | 2&3 | 477 |
| James, F.<br>Erratum notice. A review of pseudorandum number generators | 2&3 | 486 |
| Hockney, R.W.<br>Book review | 2&3 | 487 |